

HEAVY DUTY HEADSET

HEAVY DUTY HEADSET DAN100

Over the Head Type High Noise Cancelling Headset
Metal Boom Arm



FEATURES

- ♦ Over-the-Head Style
- ♦ Adjustable metal boom microphone
- ♦ Noise reduction rating: 24dB
- ♦ Standard with half gel and half foam ear seals. Pure gel ear seals and faux leather cushions can be optional
- ♦ With 5pin XLR cable, 3.5mm AUX jack is optional
- ♦ 8 colors optional: Black, Blue, Yellow, Green, Grey, Pink, Red, Orange

Replacement Cable for Heavy Duty Headsets

Our rugged replacement cable allows the valueable headset be used with different radios.

STANDARD Quick Disconnected Cable(QD)









UPGRADED Quick Disconnected Cable (QDC) w/ Big Round In-line PTT



The length for the cable can be customized

Photo	Part No	Description	For Radios
For Motorola			
	QD/M1	XLR Cable with M1 Connector	CP040/CP160/GP68/GP88/GP300/GP308/EP350/EP450
	QD/M2	XLR Cable with M2 Connector	GP320/GP328/GP338/GP339/GP340/HT1250/HT750/PRO5150
	QD/M3	XLR Cable with M3 Connector	EX500/EX600/GL2000/GP328Plus/GP344/GP388/PRO5150Elite
	QD/M4	XLR Cable with M4 Connector	GP900/HT1000/MT2000/MTX8000/XTS2500/XTS3000EF Johnson:5100/5700/7700
	QD/M5	XLR Cable with M5 Connector	3.5mm straight stereo,Motorola Visar series
	QD/M6	XLR Cable with M6 Connector	MOTOROLA Single pin for FRS/GMS "talkabout" radios
	QD/M7	XLR Cable with M7 Connector	MOTOROLA: Single pin stereo for Nextel,Tetra MTH650/800,i860, i710, i830, i530, i205, i730, i305, i315, i325, etc...
	QD/M8	XLR Cable with M8 Connector	MOTOROLA: Single pin with locking screw for Tetra MTH500, MTH650, MTH800, MTH850, MTP850
	QD/M9	XLR Cable with M9 Connector	MOTOROLA:MotoTRBO, XPR3600/6500/6550, DP3400/3401/3600/3601/4000/4400/4401/4600/4601/4800
	QD/M10	XLR Cable with M10 Connector	SL4000/4010,SL7550,SL1K
	QD/M11	XLR Cable with M11 Connector	DP2000/2400/2600,XPR3000/3300
For Hytera			
	QD/H1	XLR Cable with H1 Connector	TC2100,YC2108,TC500,TC580,TC600,TC610,TC620TC700,TC1600
	QD/H2	XLR Cable with H2 Connector	TC2100,TC500,TC600,TC610,TC620,TC700,TC1600
	QD/H3	XLR Cable with H3 Connector	PD700,PD780,PD780G,PD785,PD705
	QD/H4	XLR Cable with H4 Connector	Hytera Digital x1e/x1p/PD602/PD600/PD502
	QD/H5	XLR Cable with H5 Connector	Hytera TC-320 single 2.5pin with screw

For Kenwood			
	QD/K1	XLR Cable with K1 Connector	Tk208,TK220, Tk240, Tk248, TK250,TK260G,TK270,TK270G,TK308,TK340,TK350,TK430, TK2100,TK2207,TK3201,TK330,TK3107,TK3207,TK3160,TC265,TC270,TC365,TC366,TC380 etc
	QD/K2	XLR Cable with K2 Connector	Tk2140,TK3140, TK3180,TK280,TK380,TK385,TK480,TK481, Tk481, TK190,TK290, TK390,TK2180, Tk3180, Tk2212, Tk5210, TK5400,Nexedge Nx200, NX300
	QD/K3	XLR Cable with K3 Connector	PKT-23 Protalk Radio
For Icom			
	QD/I1	XLR Cable with I1 Connector	MAXON:SL25,SL55,SP120,SP130,SP140ICOM: IC-F3,IC-F3S,IC-F4,IC-F4S,IC-F10, IC-F20,IC-H2,IC-H6,IC-J12,IC-M5,IC-U12,IC-U16
	QD/I2	XLR Cable with I2 Connector	IC-F3G,IC-F3GS,IC-G3GT,IC-F4G,IC-F4GS,IC-F4GT,IC-F43GS, IC-F43GT,IC-F43TR, IC-F11,IC-F11S,IC-F14,IC-F14S,IC-F15,IC-F21,IC-F21S,IC-F22,IC-F24,IC-F24S,IC-F31, IC-F33,IC-F43,IC-V8,IC-V80
	QD/I2W	XLR Cable with I2W Waterproof Connector	IC-F3G,IC-F3GS,IC-G3GT,IC-F4G,IC-F4GS,IC-F4GT,IC-F43GS, IC-F43GT,IC-F43TR, IC-F11,IC-F11S,IC-F14,IC-F14S,IC-F15,IC-F21,IC-F21S,IC-F22,IC-F24,IC-F24S, IC-F31,IC-F33,IC-F43,IC-V8,IC-V80
	QD/I3	XLR Cable with I3 Connector	For Icom radios with 2 screws ICOM:IC-F3G,IC-F3GS,IC-G3GT,IC-F4G,IC-F4GS, IC-F4GT,IC-F43GS,IC-F43GT,IC-F43TR,IC-F11,IC-F11S,IC-F14,IC-F14S,IC-F15, IC-F21,IC-F21S,IC-F22,IC-F24,IC-F24S,IC-F31,IC-F33,IC-F43
	QD/I4	XLR Cable with I4 Connector	ICOM:IC-F50,IC-F51,IC-F60, IC-F61,IC-F30G,IC-F30GS,IC-F31GS,IC-F31GT, IC-F31,IC-F33G,IC-F43G,IC-F43TR,IC-M87,IC-M88
	QD/I5	XLR Cable with I5 Connector	IC-F3262D,F4262D Series (14pin)
For Maxon Midland Legacy			
	QD/Ma1	Cable with Ma1 Connector	S L25,SL55,SP100,SP120,SP130,SP140,Midland:LXT410,GXT500, GXT710,LXT210,LXT216,LXT303,LXT305,LXT310,LXT350
	QD/Ma2	Cable with Ma2 Connector	SL100,SP200,SP200K,SP210Legacy:PL1145,PL2245,PL2215P, PL2245PPL2415,PL5151,PL5164
	QD/Ma3	Cable with Ma3 Connector	S L25,SL55,SP100,SP120,SP130,SP140,Midland:LXT410,GXT500, GXT710,LXT210,LXT216,LXT303,LXT305,LXT310,LXT350
For Sepura			
	QD/Sp1	Cable with Sp1 Connector	SRP2000,SRP3000,SRH3500,SRH3800
	QD/Sp2	Cable with Sp2 Connector	With locking screw for SRP2000,SRP3000,SRH3500,SRH3800
	QD/Sp4	Cable with Sp4 Connector	STP8000,STP9000
For Tait			
	QD/T1	Cable with T1 Connector	TP8110,TP8115,TP8120,TP8135,TP8140
For Vertex Yaesu			
	QD/Y1	Cable with Y1 Connector	Single mounting screw,for VX10,VX130,VX160,VX168,VX180,VX210,VX210A,VX300, VX400,VX410,VX420,VX354
	QD/Y2	Cable with Y2 Connector	2 mounting screws,for VX130,VX160,VX168,VX180,VX210,VX210A,VX300,VX400, VX410,VX420,VX424,VX354
	QD/Y3	Cable with Y3 Connector	MH-360M,MH-450M,VH-110,VH115M,VH-120,VH-130,VH-215M,VX600,VX800,VX900,VX530
	QD/Y4	Cable with Y4 Connector	VX-6R, VX-7R
	QD/Y5	Cable with Y5 Connector	VX820,VX821,VX824,VX829,VX920,VX921,VX924,VX929,VX971

WE CARRY A WIDE RANGE OF CONNECTORS TO FIT MANY RADIO MODELS

To help clarify as to what part number should be ordered of any given accessory model, we offer you this easy guide.

Step 1, Find the connector required for your radio.

Setp 2, Pick the Accessories type.

Step 3, Confirm the model and place the order.

Example: for Motorola GP300 series, our connector part number is M1, RSM500 Speaker mic for Motorola GP300/CP200 radio, model number is RSM500/M1



Logos above for reference only. All trademarks and service marks are the property of their respective owners.

CONNECTOR CHART

M1 For Motorola



MOTOROLA: CP88, CP040, CP100, CP140, CP150, CP160, CP200, CP1300, EP450, CT150, CT250, CT450, GP200, GP300, GP308, GP68, GP88, BC120, GT1, LTS2000, PR400, P040, P080, P110P1215, P1215LS, PRO3150, BPR40, CP1600, DP1400, DEP450, GP3688, GP3188, XIR-C2620

M1A For Motorola



Motorola: SP10, SP21, XTN446, XTN500, XTN600, PRO400, PRO1150, PRO2150, DTR650, DTR2350, DTR2450, XU1100, XU2600, GT1, CP100, PMR446, VL50

M2 For Motorola



MOTOROLA: MTP700, GP1280, GP140, GP320, GP328, GP338, GP339, GP340, GP36, GP380, HT1250, HT1550, HT750, MTX850, MTX950, PRO5150, PRO5350, PRO5450, PRO5550, PRO5750, PRO7150, PRO7350, PRO7750, Tetra MTP810Ex, MTP850Ex, MTP700, PTX760, PTX700, PT9150

M3 For Motorola



MOTOROLA: EX500, EX600, GL2000, GP328PLUS, GP338PLUS, GP344, GP388, PRO5150elite
RELm: RPV30000, RPV3600, RPU3000, RPU3600

M4 For Motorola, EF Johnson



MOTOROLA: GP900, HT1000, JT1000, MT2000, MTS2000, MTX8000, MTX838, MTX900, MTX9000, MTX960, XTS2500, XTS3500, XTS5000, XTS3000, XTS500, XTS1500
EF Johnson: 51SL, 5000series, 5100series, 7700series, XTS1500, XTS4250

M5 For Motorola



MOTOROLA: VISAR Radio series, 3,5mm threaded connector

M6 For Motorola



MOTOROLA: Single pin for FRS/GMS "talkabout" radios
T5200, T5300, T5320, T5400, T5410, T5620, T5800

M7 For Motorola



MOTOROLA: Single pin stereo for Nextel, Tetra MTH650/800, i860, i710, i830, i530, i205, i730, i305, i315, i325, etc

M8 For Motorola



MOTOROLA: Single pin with locking screw for Tetra MTH500, MTH650, MTH800, MTH850, MTP850

M9 For Motorola



MOTOROLA: MotoTRBO, XPR3600/6500/6550, XPR7350, XPR7550
DP3400/3401/3600/3601/4000/4400/4401/4600/4601/4800
APX1000, APX2000, APX3000, APX4000, APX6000, APX7000, XIR P8620, XPR6000, XPR6300, XIR8661, XIR8628, XIT8668, MTP6550, MTP600 series
APX800, MTP850S, P8620, P8268, P8600, P8608, P8660, DGP4150, DGP5050, DGP555, DGP6150

CONNECTOR CHART

M10 For Motorola



MOTOROLA: SL4000/4010, SL7550, SL1K, SL300, SL7590

M11 For Motorola



MOTOROLA: DP2000/2400/2600, DP3440, DP3441, XPR3000/3300, XPR3500 MTP3250, TETRA MTP3100, MTP3200, MTP3250, MTP3100, MTP3200
XIR P6600, XIR P6608, XIR P6620, XIR P6628 MTP850FUG, MTP3550, DEP550, DEP570, MTP3000, MTP3250

M12 For Motorola



for CLP Series, CLP1010, CLP1040, CLP1060

K1 For Kenwood



KENWOOD: TK208, TK220, TK240, TK248, TK250, TK260G, TK270, TK270G, TK308, TK340, TK350, TK430, TK2100, TK2207, TK3201, TK330, TK3107, TK3207, TK3160, TC265, TC270, TC365, TC366, TC380, TK3302, TK3000, NX340

K2 For Kenwood



KENWOOD: TK2140, TK3140, TK3180, TK280, TK380, TK385, TK480, TK481, TK190, TK290, TK390, TK2180, TK3180, TK2212, TK5210, TK5400, Nexedge NX200, NX300

K3 For Kenwood



KENWOOD: PKT-23 Protalk Radio

K4 For Kenwood



KENWOOD: TPZ-D553, UBZ-M31, UBZ-M51L/S

H1 For Hytera



HYT: TC2100, YC2108, TC500, TC580, TC600, TC610, TC620, TC700, TC1600, PD502

H2 For Hytera



HYT: TC2100, TC500, TC600, TC610, TC620, TC700, TC1600, PD506, PD406, PD402, PD465, PD415, PD505

CONNECTOR CHART

H3 For Hytera



Hytera: PD700, PD780, PD780G, PD785, PD705, PD786, PT580

H4 For Hytera



Hytera: Digital x1e/x1p/PD602/PD600

H5 For Hytera



Hytera: TC-320 single 2.5pin with screw

H6 For Hytera



Hytera: TC-780, TC-610P

H7 For Hytera



Hytera: PD372, PD37X, PD36X, PD35X, TD350, TD360, TD370

I1 For ICOM



ICOM: IC-F3, IC-F3S, IC-F4, IC-F4S, IC-F10, IC-F20, IC-H2, IC-H6, IC-J12, IC-M5, IC-U12, IC-U16, IC-40

I2 For ICOM



ICOM: IC-F3G, IC-F3GS, IC-G3GT, IC-F4G, IC-F4GS, IC-F4GT, IC-F43GS, IC-F43GT, IC-F43TR, IC-F11, IC-F11S, IC-F14, IC-F14S, IC-F15, IC-F21, IC-F21S, IC-F22, IC-F24, IC-F24S, IC-F31, IC-F33, IC-F43, IC-V8, IC-V80

I2W For ICOM



Waterproof ICOM:
IC-F3G, IC-F3GS, IC-G3GT, IC-F4G, IC-F4GS, IC-F4GT, IC-F43GS, IC-F43GT, IC-F43TR, IC-F11, IC-F11S, IC-F14, IC-F14S, IC-F15, IC-F21, IC-F21S, IC-F22, IC-F24, IC-F24S, IC-F31, IC-F33, IC-F43, IC-V8, IC-V80, IC-16

I3 For ICOM



for Icom radios with 2 screws
ICOM: IC-F3G, IC-F3GS, IC-G3GT, IC-F4G, IC-F4GS, IC-F4GT, IC-F43GS, IC-F43GT, IC-F43TR, IC-F11, IC-F11S, IC-F14, IC-F14S, IC-F15, IC-F21, IC-F21S, IC-F22, IC-F24, IC-F24S, IC-F31, IC-F33, IC-F43, IC-V8, IC-V80, IC-F1000, IC-F2000

CONNECTOR CHART

I4

For ICOM



ICOM: IC-F50,IC-F51,IC-F60,IC-F61,
IC-F30G,IC-F30GT,IC-F30GS,IC-F31GS,
IC-F31GT,IC-F31,IC-F33G,IC-F43G,
IC-F43TR,IC-M87,IC-M88

I5

For ICOM



ICOM:IC-F3262D,F4262D Series (14pin)

Y

For Vertex



Vertex: VX-400,VX-410,VX-420

Y1

For Vertex



Vertex: Single mounting screw, for VX10,
VX130,VX160,VX168,VX180,VX210,VX210A
,VX300,VX400,VX410,VX420,VX354

Y2

For Vertex



Vertex: 2 mounting screws,for VX130,
VX160,VX168,VX180,VX210,VX210A,
VX300,VX400,VX410,VX420,VX424,
VX354,VX230,VX231,VX454,EVX351,
EVX534,EVX539

Y2P

For Vertex



Vertex: 2 mounting screws,for VX130,
VX160,VX168,VX180,VX210,VX210A,
VX300,VX400,VX410,VX420,VX424,
VX354,VX230,VX231,VX454,EVX351,
EVX534,EVX539

Y3

For Vertex



Vertex: MH-360M,MH-450M,VH-110,
VH115M,VH-120,VH-130,VH-215M,
VX600,VX800,VX900,VX530

Y4

For Vertex



Vertex: VX-6R,VX-7R,EVX-S24,
IC-4300,IC-M25

Y5

For Vertex



Vertex: VX820,VX821,VX824,VX829,VX920,
VX921,VX924, VX929

CONNECTOR CHART

Ea1 For Tetra/EADS



EADS: Tetrapol G2 (MC9620)

Ea2 For Tetra/EADS



EADS: TPH700

Ea2A For Tetra/EADS



EADS: TPH700

Ea3 For Tetra/EADS



THR9, THR9i

Ea4 For Tetra/EADS



THR8, TH1N

Ea5 For Tetra/EADS



EADS: TPH900

Sp1 For SEPURA



Sepura: SRP2000, SRP3000, SRH3500, SRH3800

Sp2 For SEPURA



Sepura: With locking screw for SRP2000, SRP3000, SRH3500, SRH3800

Sp4 For SEPURA



Sepura: STP8000, STP9000

CONNECTOR CHART

Ma1 For MAXON MIDLAND LEGACY



MAXON: SL25,SL55,SP100,SP120,SP130, SP140,
Midland: LXT410,GXT500,GXT710

Ma2 For MAXON MIDLAND LEGACY



MAXON: SL100,SP200,SP200K,SP210
Legacy: PL1145,PL2245,PL2215P,PL2245P,
PL2415,PL5151,PL5164

Ma3 For MAXON MIDLAND LEGACY



MAXON:SL25,SL55,SP100,SP120,SP130, SP140,SP410,PL1145,PL2215P,PL2245, PL2245P,PL2415,PL2445,PL5151,PL5161, PL5164,SP200

T1 For TAIT



TAIT: TP8110,TP8115,TP8120,TP8135, TP8140,TP9300

NX1 For NEXUS



Nexus 4pin male, 7mm diameter works with Nexus jacks

NX2 For NEXUS



Nexus 4pin female, 7mm diameter works with Nexus jacks

NK1 For NOKIA



NOKIA: THR850,THR880,THR880i

A8 For Aselsan



HR25-7TP-8P for Aselsan 4411 4415 radio

R1 For Maytel/Multicom



Multicom Duplex radio

CONNECTOR CHART

KR1 For Kirisun



Kirisun DP405, DP485

F1



F series connectors

HRS-6 Male Connector



Hirose: 6 pin Quick disconnect male connector

HRS-12 Male Connector



Hirose 12pin Quick disconnect male connector

HRS-6 Female Connector



Hirose: 6 pin Quick disconnect female connector

Mini XLR 5-Pin



Mini XLR 5 pin female cable mount connector.

5.2 Plug



PJ-068, 5.2mm Plug

6.3 Plug



PJ-055, 6.3mm Plug

XLR Cable Connector 4 Pin Female



Machined Contacts / Nickel Finish

XLR Cable Connector 3 Pin



Stamped Contacts / Nickel Finish

XLR Cable Connector 4 Pin Male



Machined Contacts / Nickel Finish

3.5mm Female Audio Jack



For any accessory use 3.5mm plug

2.5mm Female Audio Jack



For the earpiece / Headset use 2.5mm plug

3.5L



Any audio accessories with 3.5mm phone plug,
2 poles



Any audio accessories with 3.5mm phone plug,
3 poles



Any audio accessories with 3.5mm phone plug,
4 poles

2.5L



Any audio accessories with 2.5mm phone plug,
2 poles



Any audio accessories with 2.5mm phone plug,
3 poles



Any audio accessories with 2.5mm phone plug,
4 poles

3.5S



Any audio accessories with 3.5mm phone plug,
2 poles



Any audio accessories with 3.5mm phone plug,
3 poles



Any audio accessories with 3.5mm phone plug,
4 poles

2.5S



Any audio accessories with 2.5mm phone plug,
2 poles



Any audio accessories with 2.5mm phone plug,
3 poles



Any audio accessories with 2.5mm phone plug,
4 poles